

CHAP13-CPTcodes0001T-0999T_final10312013.doc

Revision Date: 1/1/2014

CHAPTER XIII

Category III Codes

CPT Codes 0001T - 0999T

FOR

*NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL
FOR MEDICARE SERVICES*

Current Procedural Terminology © 2013 American Medical Association. All Rights Reserved.

Current Procedural Terminology (CPT) is copyright 2013 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values, or related listings are included in CPT. The AMA assumes no liability for the data contained herein. Applicable FARS/DFARS restrictions apply to government use.

CPT® is a trademark of the American Medical Association.

TABLE OF CONTENTS

Chapter XIII - Category III Codes (CPT Codes 0001T - 0999T)

A. Introduction	XIII-2
B. Evaluation and Management (E&M) Services	XIII-2
C. NCCI Code Specific Issues	XIII-5
D. Medically Unlikely Edits (MUEs)	XIII-5
E. General Policy Statements	XIII-6

Chapter XIII
Category III Codes
CPT Codes 0001T - 0999T

A. Introduction

The principles of correct coding discussed in Chapter I apply to the CPT codes in the range 0001T-0999T. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians should report the HCPCS/CPT code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code should be reported only if all services described by the code are performed. A physician should not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician should not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this Chapter.

The *CPT Manual* contains Category III codes, XXXXT, that represent emerging technologies, services, and procedures. Each Category III code is referenced in another section of the *CPT Manual* that contains related procedures. The NCCI contains edits for many of these codes. The coding policies used to establish these edits are the same as those used for other procedures in the related sections of the *CPT Manual*. For example, if the XXXXT code describes a laboratory procedure, the coding policies that apply are those found in Chapter I (General Correct Coding Policies) and Chapter X (Pathology and Laboratory Services (CPT Codes 80000-89999)) of the "*National Correct Coding Initiative Policy Manual for Medicare Services*".

B. Evaluation and Management (E&M) Services

Medicare Global Surgery Rules define the rules for reporting evaluation and management (E&M) services with

procedures covered by these rules. This section summarizes some of the rules.

All procedures on the Medicare Physician Fee Schedule are assigned a Global period of 000, 010, 090, XXX, YYY, ZZZ, or MMM. The global concept does not apply to XXX procedures. The global period for YYY procedures is defined by the Carrier (A/B MAC processing practitioner service claims). All procedures with a global period of ZZZ are related to another procedure, and the applicable global period for the ZZZ code is determined by the related procedure. Procedures with a global period of MMM are maternity procedures.

Since NCCI edits are applied to same day services by the same provider to the same beneficiary, certain Global Surgery Rules are applicable to NCCI. An E&M service is separately reportable on the same date of service as a procedure with a global period of 000, 010, or 090 under limited circumstances.

If a procedure has a global period of 090 days, it is defined as a major surgical procedure. If an E&M is performed on the same date of service as a major surgical procedure for the purpose of deciding whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global payment for the procedure and are not separately reportable. NCCI does not contain edits based on this rule because Medicare Carriers (A/B MACs processing practitioner service claims) have separate edits.

If a procedure has a global period of 000 or 010 days, it is defined as a minor surgical procedure. *In general* E&M services on the same date of service as the minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and should not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting

E&M services apply. The fact that the patient is "new" to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. NCCI contains *many, but not all, possible* edits based on these principles.

Example: If a physician determines that a new patient with head trauma requires sutures, confirms the allergy and immunization status, obtains informed consent, and performs the repair, an E&M service is not separately reportable. However, if the physician also performs a medically reasonable and necessary full neurological examination, an E&M service may be separately reportable.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global surgical package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed unless related to a complication of surgery may be reported separately on the same day as a surgical procedure with modifier 24 ("Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period").

Procedures with a global surgery indicator of "XXX" are not covered by these rules. Many of these "XXX" procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work should never be reported as a separate E&M code. Other "XXX" procedures are not usually performed by a physician and have no physician work relative value units associated with them. A physician should never report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most "XXX" procedures, the physician may, however, perform a significant and separately identifiable E&M service on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the "XXX" procedure but cannot include any work inherent in the "XXX" procedure, supervision of others performing the "XXX" procedure, or time for interpreting the result of the "XXX" procedure. Appending modifier 25 to a significant, separately

identifiable E&M service when performed on the same date of service as an "XXX" procedure is correct coding.

C. NCCI Code Specific Issues

1. CPT code 0183T is deleted effective January 1, 2014 and replaced by CPT code 97610. This paragraph was relocated to Chapter XI, Section P. (Physical Medicine and Rehabilitation), paragraph 7.

2. Since CPT code 0197T (intra-fraction localization and tracking of target or patient motion during delivery of radiation therapy...) includes localization of the radiation field, it should not be reported with other CPT codes describing localization of the radiation field such as CPT codes 76950 (ultrasonic guidance for placement of radiation therapy fields), 77014 (computed tomography guidance for placement of radiation therapy fields), or 77421 (stereoscopic X-ray guidance for localization of target volume for the delivery of radiation therapy).

D. Medically Unlikely Edits (MUEs)

1. MUEs are described in Chapter I, Section V.

2. Providers/suppliers should be cautious about reporting services on multiple lines of a claim utilizing modifiers to bypass MUEs. MUEs were set so that such occurrences should be uncommon. If a provider/supplier does this frequently for any HCPCS/CPT code, the provider/supplier may be coding units of service incorrectly. The provider/supplier should consider contacting his/her national healthcare organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of units of service. A national healthcare organization, provider/supplier, or other interested third party may request a reconsideration of the MUE value of a HCPCS/CPT code by CMS by writing the MUE contractor, Correct Coding Solutions, LLC, at the address indicated in Chapter I, Section V.

3. The CMS Internet Only Manual (Publication 100-04 Medicare Claims Processing Manual, Chapter 12 (Physicians/Nonphysician Practitioners), Section 40.7.B. and Chapter 4 (Part B Hospital (Including Inpatient Hospital Part B and OPPS)), Section 20.6.2 requires that

practitioners and outpatient hospitals report bilateral surgical procedures with modifier 50 and one (1) UOS on a single claim line. MUE values for surgical procedures that may be performed bilaterally are based on this reporting requirement. Since this reporting requirement does not apply to an ambulatory surgical center (ASC), an ASC should report a bilateral surgical procedure on two claim lines, each with one (1) UOS using modifiers LT and RT on different claim lines. This reporting requirement does not apply to non-surgical diagnostic procedures.

E. General Policy Statements

1. In this Manual many policies are described utilizing the term "physician". Unless indicated differently the usage of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, providers, or suppliers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicare rules. In some sections of this Manual, the term "physician" would not include some of these entities because specific rules do not apply to them. For example, Anesthesia Rules and Global Surgery Rules do not apply to hospitals.

2. Providers reporting services under Medicare's hospital outpatient prospective payment system (OPPS) should report all services in accordance with appropriate Medicare *Internet Only Manual* (IOM) instructions.

3. In 2010 the *CPT Manual* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Manual* does not necessarily correspond to a sequential numbering of codes. In the *National Correct Coding Initiative Policy Manual for Medicare Services*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Manual*.

4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures utilizing adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M

service. Under limited circumstances wound closure utilizing tissue adhesive may be reported separately. If a practitioner utilizes a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (wound closure utilizing tissue adhesive(s) only). If a practitioner utilizes tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Under OPPS HCPCS code G0168 is not recognized and paid. Facilities may report wound closure utilizing sutures, staples, or tissue adhesives, either singly or in combination with each other, with the appropriate CPT code in the "Repair (Closure)" section of the *CPT Manual*.

5. With limited exceptions Medicare Anesthesia Rules prevent separate payment for anesthesia for a medical or surgical procedure when provided by the physician performing the procedure. The physician should not report CPT codes 00100-01999, 62310-62319, or 64400-64530 for anesthesia for a procedure. Additionally, the physician should not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (CPT codes 96360-96376) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) should not be reported when these procedures are related to the delivery of an anesthetic agent.

Medicare allows separate reporting for moderate conscious sedation services (CPT codes 99143-99145) when provided by the same physician performing a medical or surgical procedure except for those procedures listed in Appendix G of the *CPT Manual*.

Under Medicare Global Surgery Rules, drug administration services (CPT codes 96360-96376) are not separately reportable by the physician performing a procedure for drug administration services related to the procedure.

Under the OPPS drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers should not report CPT codes 96360-96376 for these services.

Medicare Global Surgery Rules prevent separate payment for postoperative pain management when provided by the physician performing an operative procedure. CPT codes 36000, 36410, 37202, 62310-62319, 64400-64484, and 96360-96376 describe some services that may be utilized for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if provided for purposes unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (CPT codes 96360-96375) for a purpose unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (CPT codes 96360-96375) may be reported with an NCCI-associated modifier if performed in a non-facility site of service.

6. The Medicare global surgery package includes insertion of urinary catheters. CPT codes 51701-51703 (insertion of bladder catheters) should not be reported with any procedure with a global period of 000, 010, or 090 days nor with some procedures with a global period of MMM.

7. Closure/repair of a surgical incision is included in the global surgical package except as noted below. Wound repair CPT codes 12001-13153 should not be reported separately to describe closure of surgical incisions for procedures with global surgery indicators of 000, 010, 090, or MMM. Simple, intermediate, and complex wound repair codes may be reported with Mohs surgery (CPT codes 17311-17315). Intermediate and complex repair codes may be reported with excision of benign lesions (CPT codes 11401-11406, 11421-11426, 11441-11471) and excision of malignant lesions (CPT codes 11600-11646). Wound repair codes (CPT codes 12001-13153) should not be reported with excisions of benign lesions with an excised diameter of 0.5 cm or less (CPT codes 11400, 11420, 11440).

8. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global surgical package and is not separately reportable. However, control of bleeding requiring return

to the operating room in the postoperative period is separately reportable utilizing modifier 78.

9. A biopsy performed at the time of another more extensive procedure (e.g., excision, destruction, removal) is separately reportable under specific circumstances.

If the biopsy is performed on a separate lesion, it is separately reportable. This situation may be reported with anatomic modifiers or modifier 59.

If the biopsy is performed on the same lesion on which a more extensive procedure is performed, it is separately reportable only if the biopsy is utilized for immediate pathologic diagnosis prior to the more extensive procedure, and the decision to proceed with the more extensive procedure is based on the diagnosis established by the pathologic examination. The biopsy is not separately reportable if the pathologic examination at the time of surgery is for the purpose of assessing margins of resection or verifying resectability. When separately reportable modifier 58 may be reported to indicate that the biopsy and the more extensive procedure were planned or staged procedures.

If a biopsy is performed and submitted for pathologic evaluation that will be completed after the more extensive procedure is performed, the biopsy is not separately reportable with the more extensive procedure.

10. Most NCCI edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI-associated modifiers (modifier indicator of "1") because the two codes of the code pair edit may be reported if the two procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI edit indicates that the two codes generally should not be reported together unless the two corresponding procedures are performed at two separate patient encounters or two separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and

in contiguous structures, NCCI-associated modifiers should generally not be utilized.

11. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.